



# RANDALLS GRAPPLES





# Randalls Equipment Company Rotating Grapple

With over 45 years in the Forestry Industry and special application Rotating Grapples this has given us great experience in all aspects of the industry , the company today remains a second generation family owned Australian Company , our range of Rotating Grapples continues to evolve to the ever changing equipment and application needs .



Randalls 2.0m2 Grapples working on Barge unloading Indonesia



Special application Breakwater block Grapple used on 125 tonne Excavators  
Picture of Onslow West Australia , Wheatstone Project LNG Plant









## .36 HD GRAPPLE

Low Profile Design Provides Greater Loading Height, Alloy Steel Construction Allows Low Weight Combined With High Strength.

Ideally Suited To Forwarders And Small Excavators.

- Pins are induction hardened
- All pivot points bushed
- Heavy duty cylinder fitted with cushioning
- Strong body construction
- All replaceable structure
- All pivot points fitted with greasers
- High clamping force
- Universal rotator mounting point fast action
- Alloy steel construction
- Incorporating the full range of Indexator Rotator or can be used with other rotators
- See Indexator Rotator brochure for Rotator Technical Data
- Grapple saw available on .36 model

RECOMMENDED WORKING PRESSURE	<b>230 BAR</b>
RECOMMENDED OIL FLOW	GRAPPLE FUNCTION <b>110L/min</b> ROTATOR FUNCTION <b>35L/min</b>
WEIGHT	<b>HEAVY DUTY</b> <b>378 KG</b>
	GRIPPING AREA PRACTICAL <b>.36m<sup>2</sup></b>
	MAX GRIPPING WIDTH <b>1540mm</b>
	MIN GRIPPING DIAMETER <b>120mm</b>
	MAX WIDTH <b>530mm</b>
 	HEIGHT <b>920mm</b> <b>1100mm</b>





**DEALER:**



**DAI LIENG MACHINERY SDN BHD (130903-K)**  
Lot 2541, Jalan Manettia, Piasau Lorong 8,  
Pujut-Lutung Road, P.O. Box 1337,  
98008 Miri, Sarawak, Malaysia  
Tel: 085-655855 (6 lines) Fax: 085-655618  
E-mail : sales@dailieng.com.my  
Website: www.dailieng.com.my