



RANDALLS GRAPPLES





Randalls Equipment Company Rotating Grapple

With over 45 years in the Forestry Industry and special application Rotating Grapples this has given us great experience in all aspects of the industry , the company today remains a second generation family owned Australian Company , our range of Rotating Grapples continues to evolve to the ever changing equipment and application needs .



Randalls 2.0m2 Grapples working on Barge unloading Indonesia



Special application Breakwater block Grapple used on 125 tonne Excavators
Picture of Onslow West Australia , Wheatstone Project LNG Plant







.55IR22 GRAPPLE

Low profile design provides greater loading height. Alloy steel construction allows low weight combined with high strength. Ideally suited to 20 tonne class carrier.

Our grapples are heavy duty models to cater for all replacements on Knuckleboom loaders and as new equipment to excavators. Rotator and boom links are also available.

- Pins are induction hardened
- All pivot points bushed
- Heavy duty cylinder fitted
- Strong body construction
- All replaceable structure
- All pivot points fitted with greasers
- High clamping force
- Fast action
- Alloy steel construction
- Incorporating an IR22 Indexator Rotator
– load capacity 15,000kg
- See Indexator Rotator brochure for Rotator Technical Data

RECOMMENDED WORKING PRESSURE	230 BAR
RECOMMENDED OIL FLOW	GRAPPLE FUNCTION 130L/min ROTATOR FUNCTION 35L/min
WEIGHT	830 KG
	GRIPPING AREA PRACTICAL .55m²
	MAX GRIPPING WIDTH 2000mm
	MIN GRIPPING DIAMETER 150mm
	MAX WIDTH 700mm
 	HEIGHT 1350mm 1500mm





DEALER:



DAI LIENG MACHINERY SDN BHD (130903-K)
Lot 2541, Jalan Manettia, Piasau Lorong 8,
Pujut-Lutung Road, P.O. Box 1337,
98008 Miri, Sarawak, Malaysia
Tel: 085-655855 (6 lines) Fax: 085-655618
E-mail : sales@dailieng.com.my
Website: www.dailieng.com.my